

SUPPLEMENT TO

The Gazette



of India

No. 27]

NEW DELHI, SATURDAY, JULY 11, 1953

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th June, 1953

CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.

STATES PART (A) AND PART (C)

Ajmer

Information not received.

Assam

Cachar
Khasi and Jaintia Hills
Naga Hills
Goalpara
Kamrup	2
Darrang
Nowgong	2
Sibsagar
Lakhimpur
Sadiya & Frontier Tracts
Garo Hills
TOTAL	2	2

(Estd. mid-year pop. 9,488 thousands.)

Total for w/e 6-6-53
Total for w/e 30-5-53	..	3	3
7-yearly mean for the week	..	60	32	6	2

Bhopal

No incidence.

Bihar

Information not received.

Bombay

Greater Bombay	10	1
Ahmedabad	..	17	5
Kaira	..	20	2
Broach	..	102	28	..	1
Panch Mahals
Surat	..	88	31	8

Bombay—contd.

Thana	9	6
Satara South
Ahmednagar	..	2	1	11	2
East Khandesh	..	13	1	2
West Khandesh	1	1
Amreli
Nasik	..	3	1	4	2
Poona	..	6	1
Satara North
Sholapur	..	6	4
Sabarkantha	..	5	1
Belgaum	..	1	1
Bijapur	..	6	2
Dharwar	4	1
Kanara
Ratnagiri	4	2
Kolaba	2
Kolhapur
Baroda	..	8	2	4	3
Navsari
Dangs	4
Malwan
Mahsana	2
Banaskantha
TOTAL	..	286	86	65	13

(Estd. mid-year pop. 37,445 thousands.)

Total for w/e 6-6-53	293	94	93	13
Total for w/e 30-5-53	166	87	115	13
7-yearly mean for the week	51	17	199	41	1	1

Goorg

No incidence.

Explanation of Symbols used:— C.—Cases; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th June, 1953—*contd.*

CHOLERA								SMALLPOX								PLAGUE									
		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	
Delhi												Madras													
Delhi City	2	Visakhapatnam
New Delhi	Srikakulam	26	24	8
Delhi Notified Area	2	2	East Godavari . .	16	9	1
New Delhi Cantt.	West Godavari	1
West Delhi N.A.O.	Krishna	19	7
Rural Circles	Guntur	7	2
TOTAL	4	2	Nellore	2	2
(Estd. mid-year pop. 1,744 thousands.)	Cuddappah	31	7
Total for w/e 6-6-53	4	1	Kurnool
Total for w/e 30-5-53	13	2	Bellary	5	3
7-yearly mean for the week	10	6	Anantapur	12	3
Himachal Pradesh																									
Information not received.																									
Madhya Pradesh																									
Nagpur	North Arcot
Wardha	Salem	5	1
Chanda	2	Coimbatore
Ohhindwara	South Arcot	6	3	6
Betul	22	11	Tanjore	2	2	2
Bhandara	Tiruchirappalli	1
Jabalpur	98	47	Mathurai	52	33	..	3
Sagar	4	3	3	Ramnathapuram . .	10	3
Mandla	Tirunelveli	28	20
Hoshangabad	1	1	6	1	Nilgiris
Nimar	Malabar
Balaghat	2	2	South Kanara
Raipur	TOTAL	140	94	102	30
Bilaspur	(Estd. mid-year pop. 58,610 thousands.)
Durg	Total for w/e 6-6-53 .	64	40	140	34
Bastar	Total for w/e 30-5-53 .	110	55	114	28
Surguja	7-yearly mean for the week	206	101	343	73	2	1
Raigarh	Manipur																	
Amravati	6	No incidence.																	
Yeotmal	Orissa																	
Akola	6	Cuttack	2	2
Buldana	Balasore	7	3
TOTAL	129	64	21	1	Puri	38	22
(Estd. mid-year pop. 21,724 thousands.)	Sambalpur	7
Total for w/e 6-6-53 .	177	73	26	5	Khondmala
Total for w/e 30-5-53 .	154	52	34	12	Ganjam Plains . . .	86	45	2
7-yearly mean for the week	108	55	179	26																		

Explanation of Symbols used:—C.=Cases; D.=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th June, 1953—*contd.*

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
West Bengal								Hyderabad— <i>contd.</i>							
Burdwan . . .	14	7	1	—	—	—	—	Galberga . . .	—	—	—	—	—	—	—
Birbhum . . .	8	3	—	—	—	—	—	Raichur . . .	—	—	—	—	—	—	—
Bankura . . .	8	3	—	—	—	—	—	Bidar . . .	—	—	—	—	—	—	—
Midnapur . . .	23	12	1	—	—	—	—	Osmanabad . . .	—	—	—	—	—	—	—
Hooghly . . .	63	32	—	—	—	—	—	Warrangal . . .	29	4	—	—	—	—	—
Howrah . . .	131	63	—	—	—	—	—	Karimnagar . . .	—	—	1	—	—	—	—
24-Parganas . . .	95	42	1	1	—	—	—	Adilabad . . .	109	53	—	—	—	—	—
Calcutta . . .	335	123	3	1	—	—	—	Nizamabad . . .	100	41	—	—	—	—	—
Nadia . . .	1	—	—	—	—	—	—	Medak . . .	3	2	5	—	—	—	—
Murshidabad . . .	32	13	—	—	—	—	—	Nalgonda . . .	11	4	—	—	—	—	—
Malda . . .	—	—	—	—	—	—	—	Mahbubnagar . . .	—	—	—	—	—	—	—
West Dinajpur . . .	—	—	16	7	—	—	—	Hyderabad . . .	—	—	1	—	—	—	—
Jalpaiguri . . .	—	—	—	—	—	—	—	Nanded . . .	152	53	—	—	—	—	—
Darjeeling . . .	—	—	—	—	—	—	—	TOTAL . . .	411	160	8	—	—	—	—
Cooch Behar . . .	2	2	—	—	—	—	—	Jammu & Kashmir							
Chandernagore . . .	—	—	—	—	—	—	—	Information not received.							
TOTAL . . .	712	300	22	9	—	—	—	Madhya Bharat							
(Estd. mid-year pop. 25,475 thousands).															
Total for w/e 6-6-53	558	248	16	6	—	—	—	Information not received.							
Total for w/e 30-5-53	479	235	25	8	—	—	—	Mysore							
7-yearly mean for the week . . .	288	114	170	73	—	—	—	Information not received.							
Grand Total for States Parts (A) & (C) (excluding Ajmer, Bihar, and Himachal Pradesh)	2,251	995	400	112	—	—	—	Mysore							
Corresponding (Estd. mid-year pop. 252,810 thousands).															
Corresponding Total for w/e 6-6-53 . . .	2,199	950	501	102	—	—	—	Bangalore . . .	—	1	17	1	—	—	—
Corresponding Total for w/e 30-5-53 . . .	1,665	771	565	139	—	—	—	Chikmagalur . . .	—	—	—	—	—	—	—
Corresponding 7-yearly mean for the week . . .	1,048	572	1,264	304	7	3	—	Chitaldrug . . .	—	—	—	—	—	—	—
STATES PART (B)								Hivasa . . .							
Hydrabad								Kadur . . .							
Aurangabad . . .	6	3	1	—	—	—	—	Kolar . . .	—	—	63	7	—	—	—
Farbhani . . .	1	—	—	—	—	—	—	Mandya . . .	—	—	1	—	—	—	—
Bhir . . .	—	—	—	—	—	—	—	Mysore . . .	—	—	—	—	4	—	—
								Shimoga . . .							
								Tumkur . . .							
								TOTAL . . .							
								1 120 9 4 . .							

Explanation of Symbols used : C.—Cases; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th June, 1953—concl'd.

CHOLERA						CHOLERA						
SMALLPOX						SMALLPOX						
PLAGUE						PLAGUE						
C.	D.	C.	D.	C.	D.	— — —	C.	D.	C.	D.	C.	D.
Patiala & East Punjab States Union						ARREAR INFORMATION						
Information not received.						Saurashtra						
						For w/c 6.6.53						
Rajasthan						Gohilwad . . .						
Information not received.						— — 4 6 — ..						
						Madhya Saurashtra						
						— — 1 .. — ..						
						Sorath . . .						
						— — 6 12 . — ..						
Saurashtra						Total . ..						
						11 18						
Information not received.												

Travancore-Cochin						POLIOMYELITIS		
No incidences.						(Information based on patients treated in hospitals in important towns.)		
and total for States Part (B) 411 161 128 9 4 ..						Place	Period	Cases
and total for States Parts (B) & (C) . 2,062 1,158 528 121 4 ..						Punjab (I)	16—31 May 1953	18 (Parotid)
Explanation of symbols used:— C=Cases; D=Deaths.								

at DELHI-2 (INDIA); }
The 6th July, 1953.

K. MITRA,
for Registrar General, India.

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000 and two joint holders upto Rs. 50,000/-

Deposits accepted in multiples of Rs. 100 upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum, free of income-tax and super-tax and which is not taken into account in assessing the total taxable income, is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi and Madras and Branches of the Imperial Bank of India at other places transacting treasury business. Deposits are also accepted at all Treasuries in Part 'A' States at places where the Imperial Bank does not transact treasury business and at all Sub-Treasuries in Part 'A' States; also at Treasuries at Bhuj (Kutch), Imphal (Manipur) and Coorg-Mercara (Coorg).

3½%

TEN-YEAR TREASURY SAVINGS DEPOSITS

For further information and/or rules governing these investments please write to the Provincial National Savings Officer of your State or the National Savings Commissioner, Gorton Castle, Simla-3.

AC 444

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 13th June, 1953

Town	Mid-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
STATES—(Parts A and C)															
Ajmer															
Ajmer	206	63	15.9	—	9	1	12	—	31	7.8	5		
Beawar	56	17	15.8	—	12	—	1	—	19	17.6	10		
TOTAL	262	80	15.8	..	—	—	21	1	13	..	50	9.9	15		
Assam															
Dibrugarh	41	3	2.5	2	1	3	3.6	1		
Gauhati	47	12	13.3	7	18	19.9	3		
Silchar	38	16	21.9	2	5	6.8	..		
Shillong	57	22	20.1	—	2	..	7	6.4	..		
TOTAL	183	52	14.8	..	—	—	11	..	2	1	33	9.4	4		
Bihar } Bhopal }		Returns not received.													
Bombay															
Ahmedabad †	84	53	32.8	—	—	—	1	1	5	1	18	11.1	5		
Ahmednagar	47	24	26.6	—	—	—	3	2	2	..	15	16.6	5		
Amalner	34	28	42.8	—	—	—	3	—	2	—	6	9.2	1		
Baroda	225	138	31.9	—	—	—	22	3	4	1	52	12.0	16		
Barshi	44	21	24.8	1	—	—	7	13	15.3	6		
Belgaum	105	57	28.2	1	—	—	1	..	2	..	20	9.9	6		
Bhusawal	57	41	37.4	—	—	—	12	2	2	—	24	21.9	2		
Bijapur	70	38	28.2	—	—	—	2	1	2	—	14	10.4	..		
Bromach	65	55	44.0	1	—	—	15	—	5	—	30	24.0	10		
Chambay	40	23	29.9	—	—	—	5	—	7	9.1	..		
Chalisgaon	32	17	27.6	—	—	—	1	—	5	8.1	—		
Dharwar	71	46	33.7	..	—	—	1	..	4	..	21	15.4	3		
Dhulia †	68	36	27.7	—	..	—	8	2	3	..	27	20.6	7		
Gadag-Betgeri.	40	69	89.7	—	..	—	7	—	1	—	15	19.5	..		
Greater Bombay	3,096	1,333	22.4	—	4	—	14	29	175	4	714	11.9	180		
Hubli	137	51	19.4	—	1	—	3	2	2	..	18	6.8	3		
Jalgaon	73	42	29.9	—	—	—	6	..	1	—	15	10.7	6		
Kalyan	65	35	28.0	..	—	..	1	1	1	..	9	7.2	..		
Kolhapur	147	163	57.7	—	—	—	5	1	9	1	47	16.6	12		
Nandurbar	32	17	27.6	..	—	—	3	1	2	..	16	26.0	7		
Malegaon	59	37	32.6	—	..	—	41	—	5	1	48	42.3	8		
Miraj	42	19	23.5	—	..	—	1	—	2	—	18	22.3	2		
Nadlad	66	48	37.4	..	—	—	14	—	1	..	26	20.3	9		
Nasik	107	67	32.6	—	5	6	8	..	40	19.4	7		
Navasari	47	43	47.5	—	—	—	4	—	17	18.8	3		
Pandharpur	42	25	30.1	—	—	—	4	6	9	—	21	26.0	11		
Patan	45	37	42.8	—	..	—	7	1	1	..	10	18.5	9		
Poona	539	188	18.1	—	..	—	4	6	25	2	139	13.4	36		
Sangli †	39	23	30.6	..	—	—	4	2	1	..	12	16.0	2		
Satara	281	215	39.8	..	—	—	22	6	33	..	99	18.3	29		
Sholapur	235	167	37.0	2	—	—	12	3	26	—	85	18.8	20		
Surat	235	167	37.0	2	—	—	12	3	26	—	85	18.8	20		
Thana †	235	167	37.0	2	—	—	12	3	26	—	85	18.8	20		
TOTAL	6,034	3,156	27.2	5	5	—	238	75	333	10	1,607	13.9	405		
Delhi State															
Delhi City	995	505	26.4	—	134	13	17	..	225	11.8	66		
New Delhi	322	171	27.6	—	11	1	14	..	34	8.6	21		
TOTAL	1,317	676	26.7	—	145	14	31	..	279	11.0	87		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 13th June, 1953—*contd.*

Deaths from :—														
Town	Mid.-year 1953 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	L.D.	
Madhya Pradesh														
Achalpur	37	14	19.7	—	—	..	5	..	1	..	11	15.4	2	
Akola	96	46	24.9	14	2	1	1	54	29.2	6	
Amravati	93	79	44.2	—	—	—	13	3	3	1	42	23.5	12	
Bijaspur	39	14	19.7	6	2	25	27.7	14	
Burhanpur	74	52	36.5	19	..	3	..	29	20.4	..	
Chanda	42	19	21.5	2	12	..	2	..	29	35.9	5	
Damoh†														
Gondia†														
Hinganghat†														
Jabalpur	218	70	16.7	..	5	..	24	16	8	..	86	20.5	11	
Khandwa	55	21	19.9	—	8	1	15	14.2	..	
Nagpur†														
Raipur†														
Sagar†														
Wardha †														
Yotmal	38	27	30.9	—	—	—	8	1	17	23.3	10	
TOTAL	692	342	25.7	2	5	—	109	25	18	2	308	23.1	60	
Madras														
Adoni	55	40	35.9	—	—	—	—	1	4	—	13	11.7	5	
Ambur	42	36	44.6	—	—	—	2	..	2	1	19	23.5	1	
Ananthapur	34	15	22.9	..	2	—	3	2	16	24.5	4	
Anakapalle	43	60	72.6	—	—	—	4	4	4	2	31	37.5	8	
Aruppukotal	52	27	27.0	—	..	—	6	2	1	—	22	22.0	4	
Bodinayakanur	38	17	23.3	—	1	12	16.4	1	
Bellary	74	46	32.3	—	5	—	3	2	6	1	39	27.4	6	
Bhimavaram	33	21	33.1	—	..	—	1	1	1	..	8	12.6	..	
Chidambaram	37	17	23.9	1	1	..	1	9	12.6	1	
Chinn Fort	31	32	58.6	—	—	—	..	1	4	6.7	1	
Cannanore	44	22	26.0	—	..	—	1	—	1	..	7	8.2	1	
Chirala	40	20	26.0	..	1	—	4	2	..	—	13	16.9	5	
Chittoor	41	27	34.2	..	—	—	1	..	1	..	11	14.0	3	
Coimbatore	213	203	49.6	..	—	—	2	8	14	—	79	19.3	23	
Cuddalore	71	38	27.8	..	—	—	1	2	1	2	15	11.0	2	
Cuddappah	40	13	16.9	—	2	1	1	2	14	18.2	2	
Dindigul	84	43	26.6	..	—	..	2	2	3	1	26	13.1	6	
Eluru	92	34	19.2	..	—	—	4	—	3	1	28	15.8	8	
Erode	62	25	21.0	1	1	6	..	17	14.3	7	
Jebiohetty Palayam	34	7	10.7	—	1	..	3	4.6	..	
Jondivada	34	39	59.7	..	—	—	6	1	1	..	22	33.6	4	
Juntakal	34	18	27.5	—	2	..	1	..	8	12.2	..	
Juddiyattam	49	24	25.1	4	2	2	..	18	19.1	3	
Juntur†														
Kospet	42	26	32.2	—	..	2	4	..	15	18.6	3	
Kakinada	106	49	24.0	—	4	1	31	15.2	13	
Kancheepuram	87	57	34.1	..	—	—	1	2	14	..	41	24.5	10	
Karaiikkudi	41	17	21.6	..	—	—	1	1	1	..	16	20.3	4	
Karur	46	21	23.7	..	—	—	4	17	19.2	1	
Kozhikoda	166	176	55.1	—	—	—	16	8	8	4	87	27.3	11	
Kumbakonam	97	72	38.6	—	3	3	12	..	29	15.5	5	
Kurnool	64	73	59.3	—	—	1	4	..	24	19.5	6	
Madras	1,542	1,102	37.2	..	—	—	68	87	182	2	684	23.1	210	
Mangalore	126	95	39.2	—	2	1	4	2	30	12.4	7	
Masulipatnam†														
Mathurai	390	457	60.9	..	—	—	28	15	52	2	175	23.3	42	
Mayuram	36	16	18.1	—	..	—	9	10.1	..	
Melapalayam	39	14	18.7	—	..	—	..	2	3	2	11	14.7	2	
Nandiyal	35	30	44.6	2	—	6	2	16	23.8	6	
Nagapattinam	59	20	17.6	—	—	—	2	..	2	..	12	10.6	2	
Nellore	87	70	41.8	—	9	3	3	3	39	23.3	12	
Notoosmund	44	46	54.4	—	2	6	11	..	32	37.8	7	
Palani	37	14	19.7	—	1	1	2	..	13	18.3	2	
Periyakulam	32	27	43.9	2	1	1	4	..	17	27.6	2	
Palyamkottai	42	30	37.1	..	—	—	3	2	..	3	17	21.0	2	
Palghat	73	54	38.5	—	—	—	5	4	4	2	32	22.8	1	
Proddatur	39	20	26.7	—	7	—	2	1	..	1	15	20.0	6	
Pudukottai	47	31	34.3	—	—	..	3	3	1	—	10	11.1	2	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 13th June, 1953—*contd.*

Town	Mid.-year 1953 Popn. Est. (000)	P.	E.R.*	Deaths from :—											Total	D.R.*	I.D.
				O.	S.	P.	F.	D.D.	R.D.	M.D.							
Madras—contd.																	
Rajahmundry	112	48	22.3	1	5	1	..	38	17.6	12				
Rajapalayam	64	29	23.6	4	..	3	1	24	19.5	4				
Srirangam	39	31	41.3	2	..	9	12.0	2				
Salem	219	131	31.1	6	7	13	2	65	15.4	11				
Srivilliputtur	42	19	23.5	2	1	1	..	12	14.9	..				
Tanjore	108	90	43.3	1	8	7	1	47	22.6	8				
Tellicherry	41	43	54.5	1	5	4	1	23	29.2	5				
Tenali	62	37	31.0	4	..	1	..	26	21.8	9				
Tiruchirappalli	233	103	23.0	1	4	10	..	63	14.1	13				
Tirunelveli	76	57	39.0	1	2	2	2	22	15.1	5				
Tiruppur	57	55	50.2	1	1	1	..	10	9.1	3				
Turuvannamalai†																	
Tuticorin	104	55	27.5	5	3	6	..	31	15.5	9				
Vaniyambadi	40	26	33.8	1	7	9.1	4				
Vellore	114	105	47.9	4	6	10	..	43	19.6	13				
Vijayavada	179	71	20.6	..	2	..	10	2	2	..	41	11.9	10				
Virudhunagar	49	39	41.4	1	..	12	12.7	3				
Visakhapatnam	117	76	33.8	1	4	5	..	34	15.1	8				
Vizianagaram	71	39	28.6	3	2	2	..	30	22.0	10				
Villupuram	37	26	36.5	7	9.8	..				
TOTAL	6,321	4,421	36.4	2	17	..	253	223	441	43	2,350	19.3	580				
Orissa																	
Berhampur	67	20	15.6	2	3	1	..	15	10.1	1				
Outtaok	109	92	44.0	11	5	4	..	46	22.0	11				
Puri	51	78	79.7	8	1	25	25.6	8				
TOTAL	227	190	43.5	21	9	5	..	86	19.2	20				
Punjab (I)																	
Ambala	61	32	27.4	10	2	3	2	22	18.8	7				
Amritsar	317	191	31.4	..	2	..	14	11	39	1	105	17.3	32				
Batala†																	
Bhiwani	54	26	25.2	26	2	3	..	35	33.8	6				
Ferozepore†																	
Hissar	37	21	29.6	9	1	3	..	15	21.1	3				
Hoshiarpur	43	17	18.5	4	..	3	..	9	9.8	4				
Jullundur	182	87	24.9	16	2	29	8.3	9				
Karnal	61	33	28.2	4	1	6	5.1	..				
Ludhiana	164	88	28.0	..	1	..	21	..	1	..	38	12.1	11				
Moga	39	16	21.4	4	7	9.4	..				
Patna†	59	18	15.9	4	5	4.4	2				
Pathankot	33	8	12.6	1	1	2	3.2	1				
Rewari	35	7	10.4	9	..	2	..	13	19.4	5				
Rohtak	73	50	35.7	12	1	14	10.0	3				
Sirma	47	40	44.4	1	3	..	10	11.1	4				
Sonepat	31	15	25.3	3	..	1	..	7	11.8	2				
TOTAL	1,241	649	27.3	..	3	..	137	22	58	3	317	13.3	89				
Uttar Pradesh																	
Agra	352	217	32.1	..	1	..	2	11	55	..	145	21.5	33				
Allahabad	329	126	20.0	4	2	29	2	72	11.4	13				
Amroha	60	42	36.5	3	1	3	1	26	22.6	6				
Bahraich	45	10	11.6	3	2	1	..	7	8.1	2				
Ballia	32	10	16.3	2	3.3	1				
Banaras†																	
Banda†																	
Barilly	198	97	25.5	18	8	8	..	41	10.3	13				
Basti†																	
Bijnor †																	
Budaun	53	20	19.7	11	..	6	..	20	19.7	4				
Bulandshahr	39	9	12.0	..	1	..	7	8	10.7	2				
Chandaui	39	32	42.8	9	..	2	..	20	26.7	11				
Dehra Dun	130	40	16.0	7	..	3	..	20	8.0	5				
Etawah	62	33	27.8	22	1	6	..	33	32.0	17				
Faizabad-Ajodhya	81	22	14.2	5	3	4	..	18	11.6	9				
Farrukhabad-Fatehgarh	78	27	18.0	8	..	8	..	23	15.4	2				
Ferozabad	71	7	5.1	7	1	2	..	12	8.8	4				

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; O.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 13th June, 1953--*contd.*

Town	Mid.-year 1953 Popn.-Est. (000)	B.	B.R.*	Deaths from :—											Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.							
Uttar Pradesh— <i>con'd.</i>																	
Ghaziabad	42	12	14.0	..	1	—	1	..	2	—	7	8.7	2				
Ghaziipur	35	16	23.8	..	—	—	4	..	—	1	12	17.9	—				
Gonda	34	18	27.6	..	—	—	2	..	—	1	5	7.7	2				
Gorakhpur	131	37	14.7	14	5	2	..	35	13.2	6				
Hapur	46	28	31.7	18	—	18	20.4	6				
Hardwar	60	29	25.2	15	6	1	..	28	24.3	5				
Hathras	59	40	35.4	32	9	4	..	52	46.0	23				
Jaunpur	54	20	19.3	3	..	6	..	14	13.5	2				
Jhansi †																	
Kanpur	680	257	19.7	—	102	18	37	6	280	21.5	77				
Kaiganj	33	4	6.3	..	1	..	6	7	11.1	..				
Khurja †																	
Koil-Aligarh	143	47	17.1	41	1	3	..	53	19.3	15				
Lucknow	467	178	19.0	47	19	25	..	174	19.4	34				
Mathura	104	52	26.1	17	2	7	..	33	10.5	6				
Mau-Nath Bhanjan †																	
Meerut	172	103	31.2	19	4	8	1	47	14.2	14				
Mirzapur-Vindhyachal	92	32	18.1	..	—	..	5	3	1	..	17	9.6	4				
Moradabad	160	75	24.4	18	6	8	..	45	14.7	16				
Muzaffarnagar	68	13	10.0	7	—	10	7.7	3				
Pilibhit †																	
Rampur	145	5	1.8	..	—	—	1	..	—	..	5	1.8	..				
Saharanpur	151	84	29.0	—	49	..	2	1	59	20.4	12				
Sambhal †																	
Shahjahanpur	99	45	23.7	19	1	1	..	35	18.4	11				
Sitapur	47	17	18.0	6	10	11.1	3				
TOTAL	4,391	1,804	21.4	..	4	..	532	103	234	13	1,398	16.6	363				

West Bengal*Return not received.***STATES—(Part B)**

Jammu and Kashmir }
Madhya Bharat }

*Returns not received.***Mysore State**

Bangalore City	862	543	32.7	..	5	..	9	61	75	..	313	18.8	..
Davanagore	62	20	23.5	1	..	1	..	3	3.5	..
Kolar Gold Fields	165	105	38.8	2	5	2	..	26	9.6	..
Mysore City	266	106	20.7	11	7	4	2	66	12.9	..
TOTAL	1,355	774	29.7	..	5	..	23	73	82	2	408	15.7	..

PEPSU

Patiala City	103	56	28.3	..	2	..	27	..	2	1	50	25.2	21
Malerkotla City	33	17	26.8	5	7.9	..
Bhatinda	36	8	11.6	1	..	2	..	6	8.7	..
TOTAL	172	81	24.5	..	2	..	28	..	4	1	61	18.4	21

Rajasthan

Alwar	59	40	35.3	..	1	..	8	..	1	2	26	22.9	1
Bharatpur†
Bikaner	117	1	..	3	3	11	..	27	12.0	7

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 13th June, 1953—*contd.*

Town	Mid.-year 1953 Popn. Est. (0 0)	B.	Deaths from:—										Total	D.R.*	I.D.
			B.R.†	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Rajasthan—contd.															
Churur†															
Ganganagar	41	7	8.9	..	3	..	4	1	9	11.4	3
Tonk	44	8	3.3	5	..	4	..	14	16.5
Sikar	47	11	12.7	1	4	4.4
Jaipur	318	40	6.2	37	8	47	2	115	18.8	4.5
Udaipur	97	4	2.1	1	2	4	..	7	3.8	1
Kotah	67	7	5.4	12	1	2	..	15	11.6
Jodhpur	189	17	4.8	15	..	3	1	19	4.8
TOTAL	976	129	6.9	..	5	..	85	16	72	5	236	12.6	6.0

Saurashtra*Return not received.***Travancore-Cochin***Return not received.***ARREAR RETURNS****West Bengal***For week the 23rd May, 1953*

Asansol†
Baldyabati†
Bally	63	12	9.9	1	2	..	6	5.0
Bankura	49	14	14.9	3	3.3
Baranagar	83	20	12.5	1	3	7	1	1	20	12.5
Basirhat	37	4	5.6	2	1	5	7.0
Berhampur	59	29	25.6	9	1	1	22	10.4
Bhadreswar	33	1	2	..	1	..	7	11.1
Bhatpara	138	21	7.9	1	7	1	2	..	26	9.8
Budge-Budge†	1	1	2	12	8.0
Burdwan	78
Calcutta	2,653	1,021	18.8	113	15	..	79	101	154	4	816	15.1	18.0	..
Champadan†
English-Bazar	33	1	13	20.5
Garden Reach	116	9	4.1	1	2	..	1	1	10	4.5	3	..
Halisahar	38	1	1.4
Hooghly-Chinura	58	30	27.0	1	1	7	6.3	1	..
Howrah	458	95	10.8	22	11	27	45	..	174	19.8
Kanchrapara	64	9	7.3
Krishnagar	52	3	..	2	..	16	16.0
Midnapore	44	14	16.6	1	5	5.9
Nabadwip	62	24	20.2	5	2	1	..	14	11.8
Naihati	58	2	1	3	..	8	7.2
North Barrackpore	34	4	6.1	7	10.7
Panhati	58	8	7.2	1	0.9
Santipur	46	10	11.3	1	..	5	5.7
Serampore	78	28	18.7	3	4	3	2	..	30	20.0
Siliguri	37	6	8.5	1	3	4.2
South Dum-Dum	71	3	2.2	1	0.7
South Suburban.	112	12	5.6	4	2	4	3	..	20	9.3	8	..
Titagarh	74	24	16.9	2	3	..	18	12.7	1	..
TOTAL	4,686	1,398	15.8	160	15	..	124	155	222	6	1,249	14.1	19.3	..

Jammu & Kashmir

Srinagar w/e 23-5-53	235	160	35.4	3	1	11	1	33	7.3	7	..
„ w/e 30-5-53	235	133	29.4	4	..	14	..	23	5.1

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 13th June, 1953—*concl'd.*

Town	Mid. year 1953 Popn. Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
PEPSU		For w/e the 6th June, 1953												
Patiala City	103	32	16.2	..	5	..	14	2	..	13	46	23.2	..	
Malerkotla	34	16	25.2	2	2	3.2	..	
Bhatinda	36	12	17.3	2	1	4	5.8	..	
TOTAL	172	60	18.1	..	5	..	18	2	..	14	52	15.7	..	
Bombay														
Thana w/e 25-4-53	55	22	20.8	2	1	3	1	19	18.0	1	
„ w/e 2-5-53	55	20	18.9	1	..	1	..	11	10.4	1	
„ w/e 9-5-53	55	41	38.8	1	1	1	1	5	2.9	5	
„ w/e 23-5-53	55	12	11.3	6	..	1	1	15	14.2	2	
„ w/e 30-5-53	55	45	42.6	10	1	..	5	28	26.5	6	
Punjab (I)														
Simla w/e 6-6-53	47	48	5.3	1	..	11	12.3	2	
Madhya Pradesh														
Nagpur	483	104	11.2	186	5	26	1	346	37.3	26	
Kamptee	33	14	22.1	5	1	1	..	9	14.2	1	
Chanda	42	19	23.5	3	6	1	1	..	21	26.0	7	
Jabalpur	218	97	23.1	..	10	..	26	8	6	1	82	19.6	17	
Damoh	39	15	20.0	7	10	13.4	..	
Khandwa	55	22	20.8	9	1	19	18.0	..	
Burhanpur	74	65	45.7	31	2	4	..	48	33.7	..	
Bilaspur	39	14	18.7	10	..	1	..	29	38.7	12	
Gondia	41	41	52.0	35	..	3	1	47	59.3	1	
Amravati	93	57	31.9	10	..	5	2	30	16.8	10	
Achalpur	37	13	18.3	8	1	3	1	18	25.3	7	
Akola	96	35	19.0	..	2	..	21	8	64	24.7	6	
TOTAL	1250	496	20.6	8	12	..	354	27	50	6	723	30.1	87	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for weeks ending the 13th June 1953, relate to 182 towns with an estimated population of 23,171 thousands. The total number of towns is 295 and their population is 36,036 thousands. Thus 62% of the total number of towns representing 64% of the total population is covered in this statement. The numbers of the births and deaths recorded in these towns were 12,354 and 7,133 representing birth and death rates of 27.7 and 16.0 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 166 towns with an estimated population of 20,668 thousands. Information about Bihar and West Bengal could not be included. The total number of towns is 249 and their population is 30,736 thousands. Thus 67% of the total number of towns representing 67% of the total population is covered. The number of births and deaths recorded

in these towns were 11,370 and 6,428 representing birth and death rates of 28.6 and 16.2 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) States (Part B).—The data here relate to 16 towns with an estimated population of 2,503 thousands. The total number of towns is 46 and their population is 5,350 thousands. Thus 35% of total number of towns representing 47% of total population is covered. The numbers of births and deaths recorded in these towns were 984 and 705 representing birth and death rates of 20.4 and 14.6 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 13.6.53		Corresponding w/e last year		Corresponding mean during the previous 5-year period.	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	15.8	9.9	15.8	16.1	23.2	16.7
Bombay	27.2	13.9	28.2	14.7	29.2	18.0
Delhi	26.7	11.0	25.9	9.9	27.8	13.0
Madhya Pradesh	25.7	23.1	21.6	13.2	23.4	18.6
Madras	30.4	19.3	37.0	19.8	43.1	24.4
Orissa	43.5	19.2	35.8	18.6	39.0	21.4
Punjab (I)	27.3	13.3	23.3	10.6	18.6	9.9
Uttar Pradesh	21.4	16.6	26.9	19.9	26.4	22.9
India (only States Parts A and C).	28.0	16.2	26.9	15.7	25.5	18.4

New DELHI, 2 (INDIA);
The 6th July, 1953. }

K. MITRA,
for Registrar General, India.